




**MULTI UTILITY  
COMPACT MACHINE**



**DURABLE ROUGH  
TERRAIN RUBBER  
TRACK**



**LOW MAINTANANCE  
COST**




**POWERFUL  
HYDROSTATIC DRIVE**



**NO LABOUR  
DEPENDENCY**



**STRENGTH YOU CAN TRUST**









# MULTI UTILITY COMPACT MACHINE



## GENERAL SPECIFICATION

Model	MU01
Engine	Honda GX390, 11.7hp
Fuel tank capacity	6.1 litre
Working pressure	180
Drive Type	Hydrostatic
Machine Type	Rubber Track mounted
Hydraulic oil tank	23litre
Limited grade ability	50% (26 degree)
Travelling speed	Upto 4 kmph



## CONCRETE MIXER: CM01 (150 Liters)

MU01+CM01	
M/c Weight	950 Kg
Drum Volume	150 Ltr
Output Capacity	upto 1.8 CuM/hr.
Bucket Capacity	0.06 CuM

MU01+CM01A	
M/c Weight	900 Kg
Drum Volume	150 Ltr
Output Capacity	upto 1.8 CuM/hr.
Bucket Capacity	0.06 CuM







MU01+CM01B	
M/c Weight	850 Kg
Drum Volume	150 Ltr
Output Capacity	upto 1.8 CuM/hr.
Bucket Capacity	N.A

## CONCRETE MIXER: CM02 (185 Liters)

MU01+CM02	
M/c Weight	950 Kg
Drum Volume	185 Ltr
Output Capacity	upto 2 - 2.2 CuM/hr.
Bucket Capacity	0.06 CuM

MU01+CM02A	
M/c Weight	900 Kg
Drum Volume	185 Ltr
Output Capacity	upto 2 - 2.2 CuM/hr.
Bucket Capacity	0.06 CuM

MU01+CM02B	
M/c Weight	850 Kg
Drum Volume	185 Ltr
Output Capacity	2 - 2.2 CuM/hr.
Bucket Capacity	N.A



NO LABOUR  
DEPENDANCY



LOW MAINTENANCE  
COST



NEGLIGIBLE  
OPERATING  
COST



ENHANCED  
PRODUCTIVITY



DURABLE ROUGH  
TERRAIN RUBBER  
TRACK




POWERFUL  
HYDROSTATIC  
DRIVE

# MULTI UTILITY COMPACT MACHINE



GENERAL SPECIFICATION	
Model	MU01 / MU02
Engine	Honda GX390, 11.7hp
Fuel tank capacity	6.1 litre
Working pressure	180
Drive Type	Hydrostatic
Machine Type	Rubber Track mounted
Hydraulic oil tank	23 / 26 litre
Limited grade ability	50% (26 degree)
Travelling speed	Upto 4 kmph



## DUMPER (SK 01)

MU01 + SK01	
M/c Weight	900 kg
Payload	800 kg
Volume	0.32 CuM
Max Speed	4.0 km/h

MU01 + SK01A	
M/c Weight	850 Kg
Payload	800 Kg
Volume	0.32 CuM
Max Speed	4.0 km/h


MU01 + SK01B	
M/c Weight	800 kg
Payload	800 Kg
Volume	0.32 CuM
Max Speed	4.0 km/h

## DUMPER (SK 02)

MU02+SK02	
M/c Weight	950 kg
Payload	800 kg
Volume	0.32 CuM
Max Speed	0.045 CuM

MU02+SK0A	
M/c Weight	910 Kg
Payload	800 Kg
Volume	0.32 CuM
Max Speed	0.045 CuM

MU02+SK0B	
M/c Weight	870 Kg
Payload	800 Kg
Volume	0.32 CuM
Max Speed	0.045 CuM



NO LABOUR  
DEPENDANCY



LOW MAINTENANCE  
COST



NEGLIGIBLE  
OPERATING  
COST



ENHANCED  
PRODUCTIVITY




DURABLE ROUGH  
TERRAIN RUBBER  
TRACK



POWERFUL  
HYDROSTATIC  
DRIVE

# MULTI UTILITY COMPACT MACHINE

## ATTACHMENT OPTION




Auger



Bucket




Rock Breaker



## TELEHANDLER (MUTL01)

AUGER ATTACHMENT	
Flow Rate	22 lpm
System Pressure	130 bar
BUCKET ATTACHMENT	
Capacity	0.105 CuM
Payload Capacity	175 kg
BREAKER ATTACHMENT	
Weight	144 kg
Impact Frequency	700 - 1200 bpm
Dia of Tool	45 mm
Length of tool	500 mm



Model	MUTL01
Engine	Honda GX390, 11.7hp
Fuel tank capacity	6.1 litre
Working pressure	180
Drive Type	Hydrostatic
Machine Type	Rubber Track mounted
Hydraulic oil tank	23 litre
Limited grade ability	50% (26 degree)
Travelling speed	Upto 3.5 kmph
Machine Weight	1050 kg
Flow rate	Upto 25 lpm
System pressure	Upto 180 bar



**FINE EQUIPMENTS INDIA PVT LTD**  
 Fine Center, Behind Chroff's Shrushti,  
 Off Mumbai Bangalore Highway,  
 Mhalunge, Pune 411045, Mharashtra

Mob: 83082 88600, 93264 39921  
 Email: info@fineequipment.net  
 Web: www.fineequipment.net



**PRAD**