



FM SERIES MINI EXCAVATOR



Equipped with

Retractable Tracks*
Kubota Engine
Standard Pipe Line Adaptation Kit
Bigger Bucket Capacity
Maximum Reach
Fuel Efficient
AC Cabin*

**ZERO TAIL
SWING**



Raising Benchmarks of after sales support



ADJUSTABLE TRACK
 Extendable undercarriage
 Efficiency in working
 Ease of transport



RIGID STRUCTURE
 Bigger bucket
 Standard pipeline kit
 Reinforced structure



SIMPLIFIED MAINTENANCE
 Easy serviceability
 Easy access to major area
 Low maintenance



OPERATOR COMFORT
 Spacious Ac cabin
 User friendly digital cluster
 Fully adjustable seat





**Small in SIZE
 big in POWER**

FM20

FM38

FINE MINI EXCAVATOR SPECIFICATION

SPECIFICATION	FM 20	FM 38
Operating Performance	Zero Tail Swing	Zero Tail Swing
Operating Weight	2000 kg	3810 kg
Bucket Capacity	0.07 m ³	0.12 m ³
Bucket Mass	50 kg	118 kg
Bucket No.of Teeth	3 Nos	4 Nos
Max. Arm Digging Force	11 kN	18 kN
Max. Bucket Digging Force	18 kN	30 kN
Travel Speed low	2.4 km/h	2.4 km/h
Trvel Speed High	3.6 km/h	4.4 km/h
Engine	Kubota D 1105	Kubota D1703
HP / RPM	19 hp @ 2200 RPM	24.40 hp @ 2200 RPM
kW / RPM	14.2 kW @ 2200 RPM	18.2kW @2200 RPM
Engine Coolent	8 litre	14 Litre
Engine Oil	5.1 litre	7 litre
Diesel Tank	17 litre	42 litre
Battery-1	12 V	12 V
Fuel	Diesel	Diesel
Travel Reduction Gear Oil	1 Litre	1 Litre
Hydraulic Pump	Piston pump	Piston Pump
Hydraulic Pump Flow	39.6 L/min + 8.8 L/min	88 L/min
Hydraulic Pressure	21.5 Mpa	22.5 Mpa
Slew Motor	Orbit type	Slew reducer type
Traction Motor	Piston pump with reducer	Piston pump with reducer
Hydraulic Oil System Capacity	17 Litre	20.5 Litre
Hydraulic Oil Tank Capacity	18 Litre	40 Litre
Machine Overall Length	3555 mm	4915 mm
Overall Width	990 / 1300 mm	1755 mm
Overall Height	2350 mm	2525 mm
Tumbler Length	1230 mm	1670 mm
Minimum Ground Clearance	175 mm	305 mm
Tail Swing Radius	650 mm	860 mm
Track Shoe Width	230 mm	350mm
Overall Width Crawler	990 mm	1755 mm
Arm Length	950 mm	1400 mm
Boom Length	1850 mm	2535 mm
Left Side	62°	50°
Right Side	56°	65°
Max Digging Depth	2400 mm	3208 mm
Max. Height of cutting Edge	3655 mm	4540 mm
Max. Dumping Height	2420 mm	3280 mm
Max. Vertical Digging Depth	2025 mm	2957 mm
Max. Digging Radius	4040 mm	5480 mm
Max. Digging Height	3655 mm	4540 mm
Track Length	1610 mm	2125 mm
Dozer Blade	Hydraulic lifting type	Hydraulic lifting type
Blade Width	990~1300mm	1720 mm
Blade Height	240 mm	350 mm
Blade Cutting Angle	40°	44°
Max dozer Blade Lifting Dist.	305 mm	365 mm
Max dozer Blade Cutting Dist.	270 mm	385 mm
Cabin Type	Canopy	AC Cabin



FINE EQUIPMENTS INDIA PVT LTD
 Fine Centre, Behind Shroffs Shrushti,
 Off Mumbai Bangalore Highway, Mahalunge
 Pune 411045 - India

Mob: 83082 88600, 93264 39921
 Email: info@fineequipment.net
 Web: www.fineequipment.net

